



Wednesday 26 April 2023

OIA IRO-381

Name: [REDACTED]

Email: [REDACTED]@gmail.com

Kia ora [REDACTED]

Official information request regarding 139 Marine Parade, Seatoun.

Thank you for your official information request dated Wednesday 8 March 2023.

We have considered your request in accordance with the Local Government Official Information and Meetings Act 1987 and determined that we are able to grant your request in full.

The information you have requested is enclosed in our email to you.

Pursuant to [Section 7\(2\)\(a\)](#) of the Act, some of the information has been redacted as it is personal information about private individuals.

You have the right to seek an investigation and review by the Ombudsman of this decision. Information about how to make a complaint is available at www.ombudsman.parliament.nz or freephone 0800 802 602.

Ngā mihi,

[REDACTED]

Team Lead, Communications and Engagement

For the latest news and updates, follow us on our social channels:



/wellingtonwater



@wgtnwaternz & @wgtnwateroutage



@wellington_water

www.wellingtonwater.co.nz

Our water, our future

Address	Council Reference ID	Asset ID	Work Order Summary	Job Details	Water	Priority	Status	Reported Date	Completion/Closed Date	Entry Date	Work Log Summary	Work Log Detail
139 Marine Parade, Seatoun, Wellington, 6022	WCCSR-80381	No Asset Selected	Public Info Request 139 MARINE PARADE, Seatoun	Came into service centre, with a letter, copy attached. 2015. WCC tried fixing the pipes on the footpath outside. YOU turned the water on it blew ALL the taps on the house. Outsie hose taps at the back of the house. 2 toilets. hot water cylinder. 3 sinks. 3 handbasins. 2 washing machines. 2 baths. You fix that because it was showering he path and road. people have complaints. Havent flushed the top toilet since 2015, using buckets to flush. I paid BBC to fix the outside hose. I have had an accident and stroke and my social worker will chase this next year.	Potable	4	CLOSE. NOTDONE	12/23/2020 11:35:28 AM	3/23/2021 9:17:30 AM	12/23/2020 11:36:20 AM	Note from Council	Address: 139 MARINE PARADE, Seatoun Open in Google Maps: https://www.google.com/maps/search/?api=1&query=-41.31649479811542,174.82761498080916
										12/24/2020 9:36:37 AM		Have forwarded this to the customer service improvement department.<!-- RICH TEXT -->
										12/24/2020 2:09:18 PM	Note from Council	██████ Service Improvement Officer Customer Services Wellington City Council W Wellington.govt.nz The information contained in this email is privileged and confidential and intended for the addressee only. If you are not the intended recipient, you are asked to respect that confidentiality and not disclose, copy or make use of its contents. If received in error you are asked to destroy this email and contact the sender immediately. Your assistance is appreciated
										3/23/2021 9:21:35 AM	Note from Council	Re-assigned by WCC
	WCCSR-130478	No Asset Selected	Public Info Request 139 MARINE PARADE, Seatoun	Relogged from 80381 with new attachment added Came into service centre, with a letter, copy attached. 2015. WCC tried fixing the pipes on the footpath outside. YOU turned the water on it blew ALL the taps on the house. Outsie hose taps at the back of the house. 2 toilets. hot water cylinder. 3 sinks. 3 handbasins. 2 washing machines. 2 baths. You fix that because it was showering he path and road. people have complaints. Havent flushed the top toilet since 2015, using buckets to flush. I paid BBC to fix the outside hose. I have had an accident and stroke and my social worker will chase this next year.	Potable	4	CLOSE	3/23/2021 4:19:26 PM	4/16/2021 8:04:44 AM	3/23/2021 4:20:33 PM	Note from Council	Address: 139 MARINE PARADE, Seatoun Open in Google Maps: https://www.google.com/maps/search/?api=1&query=-41.31649479811542,174.82761498080916
										3/23/2021 4:43:18 PM	Note from Council	WWL (██████) please note that this is an existing complaint that has been sent through to WWL.
										3/24/2021 10:21:43 AM	Forwarded to service improvement team	Forwarded to service improvement team<!-- RICH TEXT -->
										3/24/2021 10:29:54 AM	Passed to reimbursement team	Passed to reimbursement team<!-- RICH TEXT -->
										4/15/2021 9:27:25 AM	Reimbursement update	Passing to ████████ for further investigation<!-- RICH TEXT -->

										4/15/2021 9:59:01 AM	Reimbursement update	This dates back to before Wellington Water existed, We have no records of this, so we cannot process the reimbursement request. I will advise the customer.<!-- RICH TEXT -->
										4/19/2021 8:38:22 AM	Note from Council	Closed by WCC
	WCCSR-302436	No Asset Selected	Reimbursement 139 Marine Parade, Seatoun	<div>■■■■ has come in to the Service Centre in regards to flooding that happened to her property because of work done by council a few years ago. SR 130478 and SR 80381 are related to this. She would like to know about reimbursements due to the damage done to her plumbing and her floors. I have attached an invoice for plumbing works done. I have asked her to provide an invoice for the damage to the walls and floors. The plumbing work can not be fixed until the floors and walls are fixed. I have informed them to get a builder in. ■■■■ daughter ■■■■ would like to be contacted about this as well ■■■■.</div><div> </div><div> </div><!-- RICH TEXT -->	Potable	4	RCVD	1/5/2022 10:57:21 AM		1/5/2022 10:57:30 AM	Note from Council	Address: 139 MARINE PARADE, Seatoun Open in Google Maps: https://www.google.com/maps/search/?api=1&query=-41.31649479811542,174.82761498080916
										1/5/2022 10:59:50 AM	Note from Council	<p>Nga Mihi, ■■■■ Customer Service Rep Wellington City Council W Wellington.govt.nz </p> <p>The information contained in this email is privileged and confidential and intended for the addressee only. If you are not the intended recipient, you are asked to respect that confidentiality and not disclose, copy or make use of its contents. If received in error you are asked to destroy this email and contact the sender immediately. Your assistance is appreciated.</p>
										1/12/2022 3:11:56 PM	Assigned to reimbursements	Assigned to reimbursements<!-- RICH TEXT -->
										11/4/2022 1:46:45 PM	Customer called in for update.	Customer called in for update. Advised would follow up. Gave reimbursement email.<!-- RICH TEXT -->
										2/22/2023 3:46:54 PM	■■■■ called with a claim number 130478	■■■■ called with a claim number 130478. wanting some to follow up regards to a claim and what it is approved for. They are getting builders to repair damage but is not sure what is covered in the claim?. Email sent to reimbursement team ■■■■ ■■■■.<!-- RICH TEXT -->

2/22/2023
 3:52:43 PM

 email sent to
 reimbursement

<p class="MsoNormal">Hi,</o:p></o:p></p>

<p class="MsoNormal"><o:p> </o:p></p>

<p class="MsoNormal">█ called with a claim number 130478. wanting some to follow up regards to a claim and what it is approved for. They are getting builders to repair damage but is not sure what is covered in the claim?. </o:p></o:p></p>

<p class="MsoNormal"><o:p> </o:p></p>

<p class="MsoNormal">>Is someone able to call her asap before she leaves to her hometime. █ is trying to help her mother as there is mould in the house and is in shock that her mother is living in a state. For damages that happed in 2015, but because her mother has had a stoke in 2014 her mother hasn't got round to sort this out.<o:p></o:p></p>

<p class="MsoNormal"><o:p> </o:p></p>

<p class="MsoNormal"><o:p> </o:p></p>

<p class="MsoNormal">Thanks<o:p></o:p></p>

<table border="0" cellpadding="0" cellspacing="0" class="MsoNormalTable" style="border-collapse:collapse;mso-yfti-tbllook:1184;mso-padding-alt:0cm 0cm 0cm 0cm"> <tbody><tr style="mso-yfti-irow:0;mso-yfti-firstrow:yes"> <td style="width:445.9pt;padding:1.5pt 0cm 1.5pt 0cm" valign="top" width="595"> <p class="MsoNormal" style="line-height:12.6pt"><span style="font-size:10.5pt;
--

mso-fareast-font-family:"Times New Roman";mso-fareast-theme-font:minor-fareast; color:#006488;mso-fareast-language:EN-NZ;mso-no-proof:yes">Kimiora Taramai Dispatch Operator<o:p></o:p></p></td></tr><tr style="mso-yfti-irow:1;mso-yfti-lastrow:yes"><td style="width:445.9pt;padding:6.0pt 0cm 6.0pt 0cm" valign="top" width="595"><p class="MsoNormal" style="line-height:12.6pt"><!--[if gte vml 1]><<v:shapetype id="x0000_t75" coords="21600,21600" o:spt="75" o:preferrelative="1" path="m@4@5l@4@11@9@11@9@5xe" filled="f" stroked="f" <v:stroke jointstyle="miter" <v:formulas <v:f eqn="if lineDrawn pixelLineWidth 0" <v:f eqn="sum @0 1 0" <v:f eqn="sum 0 0 @1" <v:f eqn="prod @2 1 2" <v:f eqn="prod @3 21600 pixelWidth" <v:f eqn="prod @3 21600 pixelHeight" <v:f eqn="sum @0 0 1" <v:f eqn="prod @6 1 2" </p></td></tr>

										3/10/2023 4:34:34 PM	Note from Council	Caller rang back again. Wanting to have someone contact her back.
										3/13/2023 9:51:10 AM	Customer called in.	<div>Customer called in for update. Advised would follow up, Emailed reimbursement for update.</div><div></div><p>0276660857</p><p>■■■■■■■■■■/p><!-- RICH TEXT -->
										3/14/2023 7:29:10 AM	Declined email sent to customer provided email (9/03/2023)	Declined email sent to customer provided email address on 9/03/2023. Reiterated via email to the customer on 14/03/2023<!-- RICH TEXT -->
	WCCSR-612162	No Asset Selected	Public Info Request 139 MARINE PARADE, Seatoun	Side job for SR-302436; caller would like copies of the records linked to this job (and the others referenced within) sent out via email. Please compile and send.	Potable	4	RCVD	3/8/2023 3:49:22 PM		3/8/2023 3:49:32 PM	Note from Council	Address: 139 MARINE PARADE, Seatoun Open in Google Maps: https://www.google.com/maps/search/?api=1&query=-41.316494798123585,174.82761498029416
												<p>Ticket response email sent to requester due to WWL managing complaints after initial report to council.</p> <p>Kia ora ■■■■■</p> <p>Thank you for reporting this water and drainage issue to us.</p> <p>The repair of water and drainage issues are managed by Wellington Water. We have passed this details of this fault through to them.</p> <p>If you need more information including when this fault will be repaired please call Wellington Water on 04 912 4470 (Monday to Friday 7am – 5pm) or email customer@wellingtonwater.co.nz</p> <p>Ng? mihi</p> <p>Customer Services Wellington City Council</p>
										3/9/2023 8:31:42 AM	Note from Council	This should be treated as an Official Information request and includes all associated requests on record. Regards ■■■■■ Principal Advisor Wellington City Council On Wed, 8 Mar 3:48 PM , ■■■■■@gmail.com> wrote: .
										3/9/2023 3:00:03 PM	Customer called in	Customer called in, Parent of ■■■■■ called in. Advised about the burst back in 2015 and wanting reimbursement, advised she needs to speak with WCC.<!-- RICH TEXT -->

											3/10/2023 12:36:41 PM	Assigned to Info & emailed Resolutions	Assigned to Info & emailed Resolutions advising request and all associated records. <!-- RICH TEXT -->
											3/15/2023 11:04:25 AM	from [REDACTED] 9/3/23	<p class="MsoNormal">From: Wellington City Council Support <customerservice@wellingtoncitycouncil.freeservice.com> Sent: Thursday, 9 March 2023 8:30 am To: Customer Support Team <customer@wellingtonwater.co.nz> Subject: Fwd: [#SR-612162] Water and drainage: 139 MARINE PARADE, Seatoun<o:p></o:p></p><p class="MsoNormal"><o:p> </o:p></p><table align="left" border="0" cellpadding="0" cellspacing="0" class="MsoNormalTable" style="width:100.0%;mso-cellspacing:0cm;mso-yfti-tbllook:1184; mso-table-lspace:2.25pt;mso-table-rspace:2.25pt;mso-table-anchor-vertical:paragraph;mso-table-anchor-horizontal:column;mso-table-left:left;mso-padding-alt:0cm 0cm 0cm 0cm" width="100%"><tbody><tr style="mso-yfti-irow:0;mso-yfti-firstrow:yes;mso-yfti-lastrow:yes"><td style="background:red;padding:5.0pt 2.0pt 5.0pt 2.0pt"></td><td cellpadding="7px 6px 7px 15px" style="width:100.0%;background:#F1AD05;padding:5.0pt 4.0pt 5.0pt 12.0pt" width="100%"><p class="MsoNormal" style="mso-element:frame;mso-element-frame-hspace:2.25pt; mso-element-wrap:around;mso-element-anchor-vertical:paragraph;mso-element-anchor-horizontal:column;mso-height-rule:exactly"><span style="mso-fareast-font-family:"Times New Roman";

												<p>color:black">Caution: This is an external email. Please take care when clicking links or opening attachments. <o:p></o:p></p> </td> </tr> </tbody></table></p> <p><p class="MsoNormal"><o:p> </o:p></p></p> <p><p class="MsoNormal">This should be treated as an Official Information request and includes all associated requests on record. <o:p></o:p></p></p> <p><p class="MsoNormal"><o:p> </o:p></p></p> <p><p class="MsoNormal">Regards<o:p></o:p></p><!-- RICH TEXT --></p>
										3/15/2023 11:31:16 AM	OIA team emailed	OIA team has received OIA request. <!-- RICH TEXT -->
										3/15/2023 11:31:34 AM	changed to OIA folder	
										3/27/2023 9:29:41 AM	OIA 381	response due 18 april 2023<!-- RICH TEXT -->