# SAFETY DATA SHEET

# **EZ STREET BIOBLENDS**

Infosafe No.: LQ4RM

ISSUED Date : 05/11/2020 ISSUED by: Fulton Hogan Industries Pty Ltd

#### 1. IDENTIFICATION

### **GHS Product Identifier**

**EZ STREET BIOBLENDS** 

#### **Company Name**

Fulton Hogan Industries Pty Ltd (ABN 54 000 630 689)

#### **Address**

25 Groves Avenue McGrath's Hill NSW AUSTRALIA

### Telephone/Fax Number

Tel: (02)45875 111

### **Emergency phone number**

1300 519 398 (24h)

#### Recommended use of the chemical and restrictions on use

Road and pavement repairs

### **Other Names**

Name	Product Code
EZ STREET PERMANENT COLD MIX ASPHALT	

### 2. HAZARD IDENTIFICATION

### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients

Ingredients				
Name	CAS	Proportion		
Mineral Aggregate		91-97 %		
Bitumen	8052-42-4	2-8 %		
Methyl Esters	67784-80-9	1-3 %		

### 4. FIRST-AID MEASURES

#### **Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

If molten material adheres to skin, do not attempt to remove. Cool with cold water, wrap loosely with bandage or cloth and immediately seek trained medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

Cool eyes rapidly with cold water after contact with molten polymer. Do not attempt to remove molten material. Seek immediate medical attention.

#### **First Aid Facilities**

Eyewash and normal washroom facilities.

#### **Advice to Doctor**

Treat symptomatically.

#### **Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

#### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use carbon dioxide, dry chemical, foam or water fog.

### **Hazards from Combustion Products**

Non combustible material.

### **Specific Hazards Arising From The Chemical**

This product is non combustible. However heating can cause expansion or decomposition leading to violent rupture of containers.

### **Decomposition Temperature**

Not available

### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

Please note: water or foam may cause frothing, which can be violent and possibly life endangering, especially if sprayed into hot burning containers.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **Emergency Procedures**

Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Avoid inhalation of dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Avoid contact with molten material.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Bitumen

TWA: 5 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.

Source: Safe Work Australia

### **Biological Limit Values**

No biological limits allocated.

### **Appropriate Engineering Controls**

Use with good general ventilation. If dusts are produced, local exhaust ventilation should be used.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### **Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

#### **Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Solid	Appearance	Semi-solid black aggregate
Colour	Black	Odour	Petroleum odour
<b>Decomposition Temperature</b>	Not available	Melting Point	Not available
<b>Boiling Point</b>	Not available	Solubility in Water	Insoluble
Specific Gravity	Greater than water.	рН	Not available
Vapour Pressure	Not available	Vapour Density (Air=1)	Heavier than air - PERCENT VOLATILE (byt volume): 0 - 4%
<b>Evaporation Rate</b>	Slower than Ether.	Odour Threshold	Not available
Viscosity	Not available	Partition Coefficient: n- octanol/water	Not available
Flash Point	>93.33°C (Cleveland Tag Open Cup)	Flammability	Not combustible
Auto-Ignition Temperature	Not available	Explosion Limit - Upper	Not available
Explosion Limit - Lower	Not available		

### 10. STABILITY AND REACTIVITY

#### Reactivity

Reacts with incompatible materials.

### **Chemical Stability**

Stable under normal conditions of storage and handling.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

### **Incompatible materials**

Strong oxidizing agents, strong acids and petroleum products to preserve quality.

### **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes such as carbon monoxide and other unknown organic compounds.

### Possibility of hazardous reactions

Will react with strong oxidizing agents, strong acids and petroleum products.

### **Hazardous Polymerization**

Will not occur.

### 11. TOXICOLOGICAL INFORMATION

### **Toxicology Information**

No toxicity data available for this material.

#### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### Inhalation

Inhalation of dusts may irritate the respiratory system.

#### Skin

May be irritating to skin. The symptoms may include redness, itching and swelling. Prolonged or repeated skin contact may cause

defatting leading to drying and cracking of skin and dermatitis.

Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.

#### Eye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.

#### **Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

#### **Skin Sensitisation**

Not expected to be a skin sensitiser.

### Germ cell mutagenicity

Not considered to be a mutagenic hazard.

#### Carcinogenicity

Not considered to be a carcinogenic hazard.

Bitument (Bitumens, occupational exposure to straight-run bitumens and their emissions during road paving and occupational exposure to hard bitumens and their emissions during mastic asphalt work) are listed as Group 2B: Possibly carcinogenic to humans according to International Agency for Research on Cancer (IARC).

#### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

#### **STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

#### STOT-repeated exposure

Not expected to cause toxicity to a specific target organ.

### **Aspiration Hazard**

Not expected to be an aspiration hazard.

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No ecological data available for this material.

### Persistence and degradability

Not available

### Mobility

Not available

### **Bioaccumulative Potential**

Not available

### Other Adverse Effects

Not available

### **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

### 13. DISPOSAL CONSIDERATIONS

### **Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

### 14. TRANSPORT INFORMATION

#### **Transport Information**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods

Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### **U.N. Number**

None Allocated

### **UN proper shipping name**

None Allocated

### Transport hazard class(es)

None Allocated

### **IMDG Marine pollutant**

No

### **Transport in Bulk**

Not available

### **Special Precautions for User**

Not available

### 15. REGULATORY INFORMATION

#### **Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### **Poisons Schedule**

Not Scheduled

## **16. OTHER INFORMATION**

### Date of preparation or last revision of SDS

SDS reviewed: November 2020 Supersedes: September 2015

#### References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

### **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.